

6

5

4

3

2


1

Revisions

| Rev | Description | Date | Approved: |
|-----|-----------------|------------|-----------|
| A | Initial Release | 2016.12.19 | A. M |

ELECTRICAL PERFORMANCE

- 1. Frequency Range: 2.25-2.55 GHz
- 2. VSWR: 1.15 max.
- 3. Insertion Loss: 0.15 dB max.
- 4. Average Power: 1 kW



NOTES:

- 1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
- 2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

| | |
|--|-----------------|
| Drawn: | W. Y 2016.12.19 |
| Checked: | T. L 2016.12.19 |
| Approved: | A. M 2016.12.19 |
| Unless Otherwise Specified Dimensions are in Millimeters, Dimensions in [] are in Inches for Customer Reference Only. Unless Otherwise Specified Tolerance are: .XX ±0.13 [.005"] .X ±0.20 [.008"] X ±0.50 [.019"] .X° ±1° X° ±2° | |

| | |
|----------|---|
| Title: | WR340 to 7/16 Female Adaptor, Freq 2.25-2.55 GHz |
| Part No: | DWCA340DINFL |



| | |
|--------|-------|
| View: | |
| Size: | A3 |
| Scale: | 1:1.5 |
| Sheet: | 1/1 |
| Rev: | A |

6

5

4

3

2

1